ANALYTICAL TEST REPORT

1 The Manor Grove Centre, Vicarage Farm Road,
Boongate, Peterborough, PE1 5UH, UK
Email: contact@elscience.co.uk Tel: +44 (0) 1733 352 553 Website: www.elscience.co.uk

CUSTOMER
Phoenix Electronic Cigarettes
www.phoenixeliquid.co.uk
info@phoenixeliquid.co.uk

SAMPLE NAME	BATCH NUMBER	PRODUCTION DATE
Blueberry 24 mg/mL	**1502013**	**13/04/15**
LAB SAMPLE ID	**DATE OF ANALYSIS**	**ANALYST**
PX1502013	**14/04/15**	**A. Brooke**

TEST RESULTS:

ANALYTE	RESULT
Nicotine	**23.36 mg/mL**
Total Diacetyl	**PASS**
Acetylpropionyl	**PASS**
Acetoin	**PASS**

SUMMARY:

GC-MS analysis determined that nicotine was present in the submitted sample at a concentration of 23.36 mg/mL. Diacetyl, acetylpropionyl and acetoin were not detected above their reporting limits.

EL-Science Approval: **APPROVED**

Authorised By: **Date:** **15/04/2015**

Dr Jaydene Halliday BSc (Hons) MRSC
Chief Scientific Officer

A "PASS" result means that the analyte was not detected in an amount that meets or exceeds the reporting limit.
A "FAIL" result means that the analyte was detected in an amount that does meet or exceed the reporting limit.