# ANALYTICAL TEST REPORT

1 The Manor Grove Centre, Vicarage Farm Road,
Boongate, Peterborough, PE1 5UH, UK
**Email: contact@elscience.co.uk Tel: +44 (0) 1733 352 553 Website: www.elscience.co.uk**

| CUSTOMER |
|---|
| **Phoenix Electronic Cigarettes** |
| www.phoenixeliquid.co.uk |
| info@phoenixeliquid.co.uk |

| SAMPLE NAME | BATCH NUMBER | PRODUCTION DATE |
|---|---|---|
| **Tropical Storm 3 mg/mL** | **1504015** | **20/04/15** |
| **LAB SAMPLE ID** | **DATE OF ANALYSIS** | **ANALYST** |
| **PX1504015** | **01/05/15** | **A. Brooke** |

## TEST RESULTS:

| ANALYTE | RESULT |
|---|---|
| Nicotine | **3.03 mg/mL** |
| Total Diacetyl | **PASS** |
| Acetylpropionyl | **PASS** |
| Acetoin | **PASS** |

## SUMMARY:

GC-MS analysis determined that nicotine was present in the submitted sample at a concentration of 3.03 mg/mL. Diacetyl, acetylpropionyl and acetoin were not detected above their reporting limits.

**EL-Science Approval:** **APPROVED**

**Authorised By:** **Date:** **04/05/2015**

**Dr Jaydene Halliday BSc (Hons) MRSC**
***Chief Scientific Officer***

**A "PASS" result means that the analyte was not detected in an amount that meets or exceeds the reporting limit.**
**A "FAIL" result means that the analyte was detected in an amount that does meet or exceed the reporting limit.**