ANALYTICAL TEST REPORT

1 The Manor Grove Centre, Vicarage Farm Road,
Boongate, Peterborough, PE1 5UH, UK
Email: contact@elscience.co.uk Tel: +44 (0) 1733 352 553 Website: www.elscience.co.uk

CUSTOMER
The Mix Lair
www.themixlair.com
info@themixlair.com

SAMPLE NAME	BATCH NUMBER	PRODUCTION DATE
MOT 3 mg	**1505036**	**03/12/15**
LAB SAMPLE ID	**DATE OF ANALYSIS**	**ANALYST**
1509069	**08/12/15**	**J. Montgomery & S. Kang**

TEST RESULTS:

ANALYTE	RESULT
Nicotine	**2.97 mg/mL**
Total Diacetyl	**<0.01%**
Acetylpropionyl	**<0.01%**
Acetoin	**<0.05%**

SUMMARY:

GC-MS analysis determined that nicotine was present in the submitted sample at a concentration of 2.97 mg/mL. Diacetyl and acetylpropionyl were not detected above the EL-Science compliance threshold of 0.01%. Acetoin was not detected above the EL-Science compliance threshold of 0.05%.

Authorised By: **Date:** **11 December 2015**

Dr Jaydene Halliday BSc (Hons) MRSC
Chief Scientific Officer