



ANALYTICAL TEST REPORT

1 The Manor Grove Centre, Vicarage Farm Road,
Boongate, Peterborough, PE1 5UH, UK

Email: contact@elscience.co.uk Tel: +44 (0) 1733 352 553 Website: www.elscience.co.uk

CUSTOMER

The Mix Lair

www.themixlair.com

info@themixlair.com

SAMPLE NAME	BATCH NUMBER	PRODUCTION DATE
MOT 12 mg	1505038	03/12/15
LAB SAMPLE ID	DATE OF ANALYSIS	ANALYST
1509071	08/12/15	J. Montgomery & S. Kang

TEST RESULTS:

ANALYTE	RESULT
Nicotine	11.69 mg/mL
Total Diacetyl	<0.01%
Acetylpropionyl	<0.01%
Acetoin	<0.05%

SUMMARY:

GC-MS analysis determined that nicotine was present in the submitted sample at a concentration of 11.69 mg/mL. Diacetyl and acetylpropionyl were not detected above the EL-Science compliance threshold of 0.01%. Acetoin was not detected above the EL-Science compliance threshold of 0.05%.

Authorised By:

Dr Jaydene Halliday BSc (Hons) MRSC
Chief Scientific Officer

Date: 11 December 2015