



ANALYTICAL TEST REPORT

1 The Manor Grove Centre, Vicarage Farm Road,
Boongate, Peterborough, PE1 5UH, UK

Email: contact@elscience.co.uk Tel: +44 (0) 1733 352 553 Website: www.elscience.co.uk

CUSTOMER

Phoenix Electronic Cigarettes

www.phoenixeliquid.co.uk

info@phoenixeliquid.co.uk

SAMPLE NAME	BATCH NUMBER	PRODUCTION DATE
Splat! 6 mg/mL	1510061	16/11/15
LAB SAMPLE ID	DATE OF ANALYSIS	ANALYST
1508949	07/12/15	A. Brooke

TEST RESULTS:

ANALYTE	RESULT
Nicotine	5.45 mg/mL
Total Diacetyl	PASS
Acetylpropionyl	PASS
Acetoin	PASS

SUMMARY:

GC-MS analysis determined that nicotine was present in the submitted sample at a concentration of 5.45 mg/mL. Diacetyl, acetylpropionyl and acetoin were not detected above their reporting limits.

EL-Science Approval:

APPROVED

Authorised By:

Dr Jaydene Halliday BSc (Hons) MRSC
Chief Scientific Officer

Date: 14 December 2015

A "PASS" result means that the analyte was not detected in an amount that meets or exceeds the reporting limit.
A "FAIL" result means that the analyte was detected in an amount that does meet or exceed the reporting limit.