



ANALYTICAL TEST REPORT

1 The Manor Grove Centre, Vicarage Farm Road,
Boongate, Peterborough, PE1 5UH, UK

Email: contact@elscience.co.uk Tel: +44 (0) 1733 352 553 Website: www.elscience.co.uk

CUSTOMER

Phoenix Electronic Cigarettes

www.phoenixeliquid.co.uk

info@phoenixeliquid.co.uk

SAMPLE NAME	STRENGTH	BATCH NUMBER
American Red	24 mg/mL	1510389
PRODUCTION DATE	LAB SAMPLE ID	DATE OF ANALYSIS
14/04/16	1509680	19/04/2016

TEST RESULTS:

ANALYTE	RESULT
Nicotine	23.54 mg/mL
Total Diacetyl	PASS
Acetylpropionyl	PASS
Acetoin	PASS

SUMMARY:

GC-MS analysis determined that nicotine was present in the submitted sample at a concentration of 23.54 mg/mL. Diacetyl, acetylpropionyl and acetoin were not detected above their threshold limits.

EL-Science Approval:

APPROVED

Authorised By:

Dr Jaydene Halliday BSc (Hons) MRSC
Chief Scientific Officer

Date: 28th April 2016

A "PASS" result means that the analyte was not detected in an amount that meets or exceeds the reporting limit.
A "FAIL" result means that the analyte was detected in an amount that does meet or exceed the reporting limit.