ANALYTICAL TEST REPORT

1 The Manor Grove Centre, Vicarage Farm Road,
Boongate, Peterborough, PE1 5UH, UK
Email: contact@elscience.co.uk Tel: +44 (0) 1733 352 553 Website: www.elscience.co.uk

CUSTOMER
Michael Roots
Simply.Awesome
www.simplyawesomevapor.co.uk

SAMPLE NAME	BATCH NUMBER	PRODUCTION DATE
Legend 6mg	**1590105**	**09/11/15**
LAB SAMPLE ID	**DATE OF ANALYSIS**	**ANALYST**
1508896	**13/11/15**	**S. Kang & J. Montgomery**

TEST RESULTS:

ANALYTE	SPECIFICATION	RESULTS
Nicotine	**5.4 – 6.6 mg/mL**	**5.66 mg/mL**
Total Diacetyl	**<0.01%**	**PASS**
Acetylpropionyl	**<0.01%**	**PASS**
Acetoin	**<0.01%**	**PASS**

SUMMARY:

GC-MS analysis determined that nicotine was present in the submitted sample at a concentration of 5.66 mg/mL. Diacetyl, acetylpropionyl and acetoin were not detected above the EL-Science compliance threshold of 0.01%.

Authorised By: **Date: 17 November 2015**

Dr Jaydene Halliday BSc (Hons) MRSC
Chief Scientific Officer

*****Confidential*****

A "PASS" result means that the analyte was not detected in an amount that meets or exceeds the reporting limit.
A "FAIL" result means that the analyte was detected in an amount that does meet or exceed the reporting limit.