



ANALYTICAL TEST REPORT

1 The Manor Grove Centre, Vicarage Farm Road,
Boongate, Peterborough, PE1 5UH, UK

Email: contact@elscience.co.uk Tel: +44 (0) 1733 352 553 Website: www.elscience.co.uk

CUSTOMER	
Michael Roots	
Simply.Awesome	
www.simplyawesomevapor.co.uk	

SAMPLE NAME	BATCH NUMBER	PRODUCTION DATE
Legend 3 mg	1590110	07/01/16
LAB SAMPLE ID	DATE OF ANALYSIS	ANALYST
1509245	13/01/16	S. Kang & J. Montgomery

TEST RESULTS:

ANALYTE	SPECIFICATION	RESULTS
Nicotine	2.70 – 3.30 mg/mL	2.74 mg/mL
Total Diacetyl	<0.01%	PASS
Acetylpropionyl	<0.01%	PASS
Acetoin	<0.05%	PASS

SUMMARY:

GC-MS analysis determined that nicotine was present in the submitted sample at a concentration of 2.74 mg/mL. Diacetyl and acetylpropionyl were not detected above the EL-Science compliance threshold of 0.01%. Acetoin was not detected above the EL-Science compliance threshold of 0.05%.

Authorised By:

Dr Jaydene Halliday BSc (Hons) MRSC
Chief Scientific Officer

Date: 19 January 2016

Confidential

A "PASS" result means that the analyte was not detected in an amount that meets or exceeds the reporting limit.
A "FAIL" result means that the analyte was detected in an amount that does meet or exceed the reporting limit.